


Membran-Vakuumpumpen

Mini Vakuumpumpe 7010AC



7010AC
Artikelnr. 1770102532

Elektrische Daten

Motor Typ	Shaded pole
Spannung	230 V/50 Hz
Drehmoment	2300 rpm
Betriebsstrom	0,54 A
Anlaufstrom	0,62 A
Leistung	52 W
Motorschutzklasse	E
Schutzklasse	IP00
Thermo Schalter	no


Pneumatische Daten

Bezeichnung	7010/-2,2V
Max. Volumenstrom	5,8 l/min
Max. Enddruck	2,3 bar
Max. Dauerbetrieb	1,2 bar
Max. Anfangsdruck	Umgebungsdruck
Max. Vakuum	-780 mbar
Max. Vakuum Dauerbetrieb	-780 mbar
Max. restart vacuum	Umgebungsdruck*

Allgemeine Daten

Umgebungstemperatur	15 to 40 °C
Mediumstemperatur	15 to 40 °C
Gewicht	0,95 kg
Port directio	A


Fließkurven



* Irrtümer und Änderungen vorbehalten, Preise zzgl. Verpackung und MwSt.

Diaphragm Pumps

Vacuum pump 7010AC



7010AC
Item no. 1770102532

Electrical Data

Motor type	Shaded pole
Nominal voltage	230 V/50 Hz
Nominal speed	2300 rpm
Current consumption	0,54 A
Starting current	0,62 A
Power consumption	52 W
Motor insulation class	E
Protection class	IP00
Thermal switch	no


Pneumatic Data

Description	7010/-2,2V
Max. flow	5,8 l/min
Max. intermittent duty	2,3 bar
Max. continuous pressure	1,2 bar
Max. restart pressure	Ambient pressure*
Max. vacuum	-780 mbar
Max. continuous vacuum	-780 mbar
Max. restart vacuum	Ambient pressure*

General Data

Ambient temperature	15 to 40 °C
Media temperature	15 to 40 °C
Weight	0,95 kg
Port directio	A

Flow Curves




* Changes and mistakes excepted, prices plus packing and VAT..

Diaphragm Pumps

Languages > 

Vacuum pump 7010AC

7010AC
Item no. 1770102532

Electrical Data

Motor type	Shaded pole
Nominal voltage	230 V/50 Hz
Nominal speed	2300 rpm
Current consumption	0,54 A
Starting current	0,62 A
Power consumption	52 W
Motor insulation class	E
Protection class	IP00
Thermal switch	no


Pneumatic Data

Description	7010/-2,2V
Max. flow	5,8 l/min
Max. intermittent duty	2,3 bar
Max. continuous pressure	1,2 bar
Max. restart pressure	Ambient pressure*
Max. vacuum	-780 mbar
Max. continuous vacuum	-780 mbar
Max. restart vacuum	Ambient pressure*

General Data

Ambient temperature	15 to 40 °C
Media temperature	15 to 40 °C
Weight	0,95 kg
Port directio	A

Flow Curves



* Changes and mistakes excepted, prices plus packing and VAT..